

Safety Through Innovation



# Directional Lights






## Prime 6L C2



- Vertical or horizontal
- Available in class 1 or class 2
- Aluminium housing



| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 13 cm x 1,2 cm x 2,8 cm                                                              |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 6 x 3W                                                                               |
| LEDs color               |  |
| Set include              | Foam pad, mounting screws                                                            |
| Power consumption        | 12V - MAX 1,09 A / 24V - MAX 0,55 A                                                  |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65: XB2, XB2, XR2, XA2, E20 R10                                                  |



**Set of lamps with bracket for a license plate**






## Reflect 6L



- A large selection of color variants
- Variable flash modes
- Mounting kit included




| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 10 cm x 3,8 cm x 2,7 cm                                                              |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 6 x 3 W                                                                              |
| LEDs color               |  |
| Set include              | Foam pad, mounting screws                                                            |
| Power consumption        | 12 V - MAX 0,58 A / 24 V - MAX 0,28 A                                                |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1, XR1; E20 R10                                                        |




## Reflect 12L



- A large selection of color variants
- Variable flash modes
- Mounting kit included





| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 9,8 cm x 7,0 cm x 2,6 cm                                                             |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 12 x 3 W                                                                             |
| LEDs color               |  |
| Set include              | Foam pad, mounting screws                                                            |
| Power consumption        | 12 V - MAX 0,77 A / 24 V - MAX 0,37 A                                                |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1, XR1; E20 R10                                                        |



## Delta 6L



- Ultra thin
- Variable flash modes
- Easy installation: 3M tape




| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 9,1 cm x 0,87 cm x 0,28 cm                                                           |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 6 x 3 W                                                                              |
| LEDs color               |  |
| Set include              | Foam pad, mounting screws, 3M tape                                                   |
| Power consumption        | 12 V - MAX 0,55 A / 24 V - MAX 0,26 A                                                |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1; E20 R10                                                             |



## Classic 9L



- Possibility to synchronize several pieces
- Resistant to vibration and weather conditions
- Modern design
- Variety of assembly




| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 13,6 cm x 2,5 cm x 1,5 cm                                                            |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 9 x 3 W                                                                              |
| LEDs color               |  |
| Set include              | Foam pad, 3M tape                                                                    |
| Power consumption        | 12 V - MAX 0,42 A / 24 V - MAX 0,22 A                                                |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1; E20 R10                                                             |



## Elips 2x4



- Small and light structure
- They fit perfectly into the elements of the vehicle
- Waterproof
- Flange mounting option



| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 5 cm x 2,5 cm                                                                        |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 4 x 3 W                                                                              |
| LEDs color               |  |
| Set include              | Foam pad, mounting screws                                                            |
| Power consumption        | 12 V - MAX 1,7 A / 24 V - MAX 0,9 A                                                  |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1; E20 R10                                                             |




## Lexon 6L



- Available in **DUAL-COLOR** version
- Solid and durable housing
- Easy installation



DUAL-COLOR version



| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 13 cm x 2,4 cm x 1,9 cm                                                              |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 6 x 3 W                                                                              |
| LEDs color               |  |
| Set include              | Foam pad, mounting screws                                                            |
| Power consumption        | 12 V - MAX 0,54 A / 24 V - MAX 0,29 A                                                |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1; E20 R10                                                             |



Odyssey C2


12  
24V

5 YEARS  
WARRANTY

E20  
R10

E9  
R65

- 2 class- night/day mode
- Durable construction
- Ultra thin



| Technical Specifications |                                       |
|--------------------------|---------------------------------------|
| Dimensions               | 12 cm x 1,1 cm x 2,6cm                |
| Voltage                  | 12-24 V                               |
| Number of LEDs           | 6 x 3 W                               |
| LEDs color               |                                       |
| Set include              | Foam pad, mounting screws             |
| Power consumption        | 12 V - MAX 0,81 A / 24 V - MAX 0,37 A |
| Warranty                 | 5 YEARS                               |
| Approvals                | E9 R65 XB2, XA2, XR2; E20 R10         |

Optional accessories






## Odyssey Interior



- Easy installation 3M tape
- Angle adjustment
- Good visibility





| Technical Specifications |                                      |
|--------------------------|--------------------------------------|
| Dimensions               | 5 cm x 3,2 cm                        |
| Voltage                  | 12-24 V                              |
| Number of LEDs           | 12 x 3 W                             |
| LEDs color               |                                      |
| Set include              | Mounting bracket                     |
| Power consumption        | 12 V - MAX 1,24 A / 24 V - MAX 0,6 A |
| Warranty                 | 5 YEARS                              |
| Approvals                | E9 R65 XB2, XR2, E20 R10             |



## LED Reflect Interior



- Non-invasive and easy installation on suction cups
- Many LED color variants
- Power supply from the cigarette lighter plug




| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 3,8 cm x 11 cm                                                                       |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 6 x 3 W                                                                              |
| LEDs color               |  |
| Set include              | Handle on suction cups, cigarette lighter                                            |
| Power consumption        | 12 V - MAX 0,58 A / 24 V - MAX 0,28 A                                                |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1, XR1; E20 R10                                                        |



## Verona 12L



- 180 degree visibility
- Unique shape



| Technical Specifications |                                                                                      |
|--------------------------|--------------------------------------------------------------------------------------|
| Dimensions               | 5 cm x 3,2 cm                                                                        |
| Voltage                  | 12-24 V                                                                              |
| Number of LEDs           | 12 x 3 W                                                                             |
| LEDs color               |  |
| Set include              | Mounting bracket                                                                     |
| Power consumption        | 12 V - MAX 1,24 A / 24 V - MAX 0,6 A                                                 |
| Warranty                 | 5 YEARS                                                                              |
| Approvals                | E9 R65 XA1, XB1; E20 R10                                                             |